Abstraction

Classes and Methods

Produced Dr. Siobhán Drohan

by: Mairead Meagher



Abstract vs Concrete

Abstract Methods and Classes

Network-V4 (recap)

Network-V5 (with abstraction)

Abstract vs Concrete

- Abstract
 - Implementation delayed
 - → abstract method has no code
 - → cannot instantiate an abstract class (it has, by definition "unfinished" methods)

- Concrete
 - Ready to go.
 - Everything up to now has been concrete.


Abstract vs Concrete

Abstract Methods and Classes

Network-V4 (recap)

Network-V5 (with abstraction)

Recap: Inheritance hierarchies



Abstract Methods

- Abstract methods have abstract in the signature.
- Abstract methods have no body.
 - 'We promise to write this later. Every (concrete) subclass of this class will have this implemented in the subclass.'
- Abstract methods make the class abstract.
 - Think about why this is?

Abstract Classes

- An abstract class is a class that contains <u>zero or more</u> abstract methods.
- An class that has an abstract method <u>must</u> be declared abstract.
- Abstract classes cannot be instantiated.
- Abstract classes function as a "base" for subclasses.
 - → abstract classes can be subclassed.
- Concrete subclasses complete the implementation.

Abstract vs Concrete

Abstract Methods and Classes

Network-V4 (recap)


Network-V5 (with abstraction)

Recap: Network-V4

Options Posts 1) Add a Text Post 2) Add a Photo Post 3) List all Posts 0) Exit ==>>

Our news feed displays either MessagePost or PhotoPost objects.

We never create a Post object but our ArrayList is of Post.



Abstract vs Concrete

Abstract Methods and Classes

Network-V4 (recap)


• Network-V5 (with abstraction)

Network-V5 (Post as an abstract class)

- We can never create a 'post' object
 - We cannot instantiate one.

- In Post, we define fields, methods that can be used later for all subclasses (using super)
 - e.g. display(), constructor..

Network-V5 (Post as an abstract class)



Syntax for abstract classes

```
public abstract class Post
{
    private String username; // username of the post's author
    private long timestamp;
    private int likes;
    private ArrayList<String> comments;
```

displayExcerpt() as an abstract method

 If you wish all subclasses of a class to implement a particular method as part of its code, simply write an abstract method heading in superclass.

 Each subclass must have this method fully coded.

displayExcerpt() as an abstract method

```
abstract String displayExtract();
```

Post

```
/**
 * return a short extract of the post message
 * @return A string containing the first 10 chars of the post
 */|
String displayExtract()
{
    return "Message extract "+ message.substring(0,10) + "....";
}
```

MessagePost

```
/**
 * return a short extract of the photo caption
 * @return A string containing the first 10 chars of the caption
 */
String displayExtract()
{
    return "Photo caption: " + caption.substring(0,10) + "....";
}
```

PhotoPost

Later

 We will come back to looking at interfaces which are used when you can see a 'multiple inheritance' in your class design.

 Multiple inheritance is not allowed in Java so we use interfaces instead.

Any Questions?





Except where otherwise noted, this content is licensed under a Creative Commons
Attribution-NonCommercial 3.0 License.

For more information, please see http:// creativecommons.org/licenses/by-nc/3.0/